

NP-TR SERIES

145

(Thermo Reaction Plastisol Inks, Non-Phthalate)

Features

- Plastisol ink, color is disappearing due to change of temperature.
- Various effect by printing technique.
- Consist of various color.
- High transparency, low opacity.
- Glossy appearance.

Application

- For dark fabric, print white ink underground and print colored ink to obtain desired color.
- Thicker printing of this ink may cause decline of color changing effect.
- Check Thermo-Reaction works before main printing.
- Exclusive usage is recommended, but mix with colored ink is non-recommended.

Remarks

- Stir before printing for convenient use.
 - In Manual Printing, printing result can be different by pressure of squeeze and balance of the force.
 - Color changing effect may reduce if exposed to heat for long period.
- ※ Order made product, contact AONE to make decision of desired color and temperature (32°F~158°F / 0°C~70°C).

Eco-Friendly

- Compliant with CPSIA(Pb, Phthalates).
- Meet standard of Eco-passport, adidas A-01.
- AONE's product does not contain six regulated materials, but we do not examine whole product. We recommend to examine every kind of regulated materials and pre-testing for your own use purpose.

Colors

| | |
|--|-----------------|
| | 6011 ORANGE |
| | 6012 SCARLET |
| | 6013 RED |
| | 6014 PINK |
| | 6015 MAGENTA |
| | 6022 YELLOW |
| | 6032 GREEN |
| | 6041 SKY BLUE |
| | 6042 ROYAL BLUE |
| | 6043 MID BLUE |
| | 6040 BLUE |
| | 6046 TURQUOISE |
| | 6050 BLACK |

Method

- Substrates: 100% cotton, cotton blends, Polyesters.
- Mesh :50~150 t/in.
- Cure temp: 320°F (160°C), heating more than 60sec.
- Wash-up: mineral spirit, organic solvent.
- Caution: Do not dry clean, bleach or iron the printed area.

Packing & Storage

- Packaging: 20Kgs.
- Storage: Avoid strong Acidic compounds and direct sun keep in cool place(64~90°F / 18~32°C).